

Coronavirus disease (COVID-19)

Data as received by WHO from national authorities, as of 27 September 2020, 10 am CEST


For the latest data and information on COVID-19, please see:

- [WHO COVID-19 Dashboard](#)
- [WHO COVID-19 Weekly Operational Update](#)

Global epidemiological situation

To date, over 32.7 million COVID-19 cases and 991 000 deaths have been reported to WHO. During the week of 21–27 September, there were more than 2 million new cases and 36 000 new deaths reported, which is similar to the numbers reported the previous week. Cumulative deaths are expected to exceed one million in the coming week.

Figure 1: Number of COVID-19 cases reported weekly by WHO Region, and global deaths, 30 December 2019 through 27 September 2020**



**See [data table and figure notes](#).

The Region of the Americas continues to carry the highest incidence of COVID-19 globally (Table 1), reporting similar numbers of new cases and deaths as the previous week. The Region accounts for 38% of all new cases and 52% of all new deaths reported in the past seven days. The Eastern Mediterranean Region showed the greatest increase (9%) in cases in the past week, while the European Region reported a substantial rise in deaths, with a 9% increase compared to the previous week. The WHO African,

Western Pacific and South-East Asia Regions reported decreases in the new case and deaths over the past week.

Additional region-specific information can be found below: [African Region](#), [Region of the Americas](#), [Eastern Mediterranean Region](#), [European Region](#), [South-East Asia Region](#), and [Western-Pacific Region](#).


Table 1. Newly reported and cumulative COVID-19 confirmed cases and deaths, by WHO Region, as of 27 September 2020**

WHO Region	New cases in last 7 days (%)	Change in new cases in last 7 days	Cumulative cases (%)	New deaths in last 7 days (%)	Change in new deaths in last 7 days*	Cumulative deaths (%)
Americas	766 526 (38%)	<1%	16 233 110 (50%)	19 027 (52%)	-1%	546 864 (55%)
South-East Asia	647 309 (32%)	-7%	6 720 771 (21%)	9 011 (25%)	-3%	110 711 (11%)
Europe	418 719 (21%)	5%	5 662 875 (17%)	4 547 (12%)	9%	234 681 (24%)
Eastern Mediterranean	124 482 (6%)	9%	2 340 215 (7%)	2 704 (7%)	3%	60 345 (6%)
Africa	26 945 (1%)	-7%	1 172 342 (4%)	724 (2%)	-14%	25 481 (3%)
Western Pacific	22 986 (1%)	-27%	600 891 (2%)	462 (1%)	-41%	13 129 (1%)
† Other	-	-	741 (<1%)	-	-	13 (<1%)
Global	2 006 967 (100%)	-1%	32 730 945 (100%)	36 475 (100%)	-1%	991 224 (100%)

*Percent change in the number of newly confirmed cases/deaths in past seven days, compared to seven days prior. Regional percentages rounded to the nearest whole number, global totals may not equal 100%.

**See [data, table and figure notes](#)

Figure 2. COVID-19 cases per million population reported in the last seven days by countries, territories and areas, 21 through 27 September 2020**



**See data, table and figure notes.


Situation by WHO Region

African Region

The African Region continues its decreasing trend for the seventh week, reporting a 7% decrease in new cases and a 14% decrease in new deaths. During the past week, 33 of the 49 affected countries reported either a decrease in deaths or no deaths. South Africa continues to report the highest number of new cases and new deaths followed by Ethiopia, Uganda, Algeria and Mozambique. South Africa also has the highest number of cumulative cases and deaths per one million population in the Region, followed by Cabo Verde which has reported increasing numbers of cases and deaths over the past month.

Cases in Mozambique have consistently increased over the last four weeks stretching health system capacity. More than half of the new cases (and total cases) are in the capital city, Maputo. Mozambique's overall case rate, however, remains relatively low: 248 cases per million population and two deaths per million population.

Figure 3: Number of COVID-19 cases and deaths reported weekly by the WHO African Region, as of 27 September 2020**




**See data, table and figure notes

Region of the Americas

The Region of the Americas remains the most affected WHO Region, accounting for 50% of all reported cases and 55% of deaths. The Region reported similar numbers of new cases and deaths this past week as compared to the previous week and accounts for 38% of new cases and 52% of new deaths.

The United States of America, Brazil, Argentina and Colombia continue to report the highest number of new cases in the past week. Mexico reported the sixth highest number of new cases and third highest number of new deaths.

Figure 4: Number of COVID-19 cases and deaths reported weekly by the WHO Region of the Americas, as of 27 September 2020**




**See [data](#), [table](#) and [figure notes](#)

Eastern Mediterranean Region

Over the past month, the number of new cases and deaths reported in the Eastern Mediterranean Region has consistently increased, with a 9% and 3% increase respectively. The highest numbers of new cases were reported by Iraq, Iran and Morocco. Somalia, Jordan, United Arab Emirates and Tunisia reported the greatest relative increase in cases compared to the previous week. While Iraq reported the highest number of new deaths, Bahrain and Jordan reported the greatest increase in deaths compared to the previous week.

Figure 5: Number of COVID-19 cases and deaths reported weekly by the WHO Eastern Mediterranean Region, as of 27 September 2020**



**See data, table and figure notes


European Region

While the number of new cases and deaths reported in the European Region continued to increase in the past seven days, the rate slowed (Figure 6), with only a 5% increase in new cases and 9% increase in new deaths reported (compared to 11% and 27% increase, respectively, the previous week). France, the Russian Federation, Spain and the United Kingdom continue to report the highest numbers of new cases. Turkey reported the third highest deaths in last seven days after the Russian Federation and Spain.

In France, the highest 7-day incidence was observed in the regions of Île-de-France, Hauts-de-France and Provence-Alpes-Côte d'Azur – the latter including the city of Marseille, which has emerged as the epicenter of the country's second wave in recent weeks. While the number of hospitalized cases has doubled in the past 10 days, hospitalization numbers remain a magnitude smaller than observed earlier this year and hospital stays have tended to be shorter. Nonetheless, test positivity rates have continued to trend upwards (reaching 7.4% on 27 September), and 58/101 departments are now classified in the red zone indicating very high levels of infection.

In the United Kingdom, there has been an increase in the number of people testing positive for COVID-19 in all age groups, with the regions of Greater Glasgow and Clyde, the North West and the North East reporting the highest incidence in the past week. Wales has reported the highest rates of infection to date (727.7 per 100 000 population), followed by England (664), Northern Ireland (566.6) and Scotland (504.7).

Figure 6: Number of COVID-19 cases and deaths reported weekly by the WHO European Region, as of 27 September 2020**




**See data, table and figure notes

South-East Asia Region

The South-East Asia Region is the second most affected Region, accounting for 21% and 11% of cumulative cases and deaths, respectively. While the Region had been reporting increasing cases and deaths since March, in the past week, a 7% decrease in new cases and a 3% decrease in new deaths were observed. The countries reporting the highest number of new cases continue to be India, Indonesia and Bangladesh, while Myanmar reported the highest increase in cases (92% increase) and deaths (80% increase) compared to the previous week.

Figure 7: Number of COVID-19 cases and deaths reported weekly by the WHO South-East Asia Region, as of 27 September 2020**




**See [data](#), [table](#) and [figure notes](#)

Western Pacific Region

Overall, the Western Pacific Region continues to show the lowest cumulative cases, accounting for just 2% of global cases and 1% of all deaths. The Philippines and Japan account for the highest number of new cases and new deaths in the Region. All countries in the Region except Malaysia, Papua New Guinea, and Guam reported decreases in new cases, as compared to the previous week. Only Malaysia reported an increase in new deaths.

Incidence of COVID-19 in Papua New Guinea remains low. An 8-fold increase was reported in August (396 cases) compared to July (52 cases). The number of cases reported so far in September (73 cases) is lower but there may be other undetected cases since the testing and overall health care capacity in the country are limited.

Figure 8: Number of COVID-19 cases and deaths reported weekly by the WHO Western Pacific Region, data as of 27 September 2020**



**See data, table and figure notes

Key weekly updates

- COVID-19: Nearly 33 million cases and one million deaths in 9 months. As Dr Mike Ryan, Executive Director of WHO's Health Emergencies Programme said at the press conference on Friday [25 September](#), "the realities of getting a vaccine out there in the next nine months is a big task for everyone involved. There is a lot that can be done to save lives, both in terms of disease control, existing life-saving measures and the innovations that are coming down the pipe. Are we willing to make the investments now that are needed in the ACT Accelerator, especially in COVAX?"
- A total of 67 higher income economies have joined the [COVAX Facility](#), with another 34 expected to sign, joining 92 low- and middle-income economies eligible for support for the procurement of vaccines. However, so far [only a tenth of the \\$35 billion needed for scale-up and impact have been received, a small investment considering that the global economy is expected to contract by trillions of US dollars this year alone](#). WHO's aim is to have two billion doses of vaccine available by the end of 2021.
- A new report from Every Woman Every Child, "[Protect the Progress: Rise, Refocus, Recover, 2020](#)" warns that the COVID-19 crisis is exacerbating existing inequities, with reported disruptions in essential health interventions disproportionately impacting the most vulnerable women and children. "[There is no doubt that the pandemic has set back global efforts to improve the health and well-being of women and children, but that should only serve to strengthen our resolve](#)," said Dr Tedros Adhanom Ghebreyesus, WHO Director-General.
- [WHO has released a video series, Science in 5, in which experts explain the science about specific issues related to COVID-19](#). So far five episodes have been released on subjects including herd immunity, SARS-CoV2, myths vs science, and reopening schools. Watch these short videos on WHO's [YouTube](#), [Instagram](#), [Facebook](#), [Twitter](#), and [LinkedIn](#) accounts or listen to the podcasts.
- On 23 September, WHO together with the UN, specialised agencies and partners called on countries to develop and implement action plans to promote [the timely dissemination of science-based information and prevent the spread of false information](#) while respecting freedom of expression.
- WHO has published the [Emergency Global Supply Chain System \(COVID-19\) catalogue](#), which lists all medical devices, including personal protective equipment, medical equipment, medical consumables, single use devices, laboratory and test-related devices that may be requested through the [COVID-19 Supply Portal](#).

Table 2. Number of COVID-19 confirmed cases and deaths reported in the last seven days by countries, territories and areas, as of 27 September 2020**

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Africa	26945	1172342	177	724	25481	4	
South Africa	9 842	669 498	11 288	436	16 376	276	Community transmission
Ethiopia	4 569	72 700	632	76	1 165	10	Community transmission
Uganda	1 347	7 364	161	8	71	2	Community transmission
Algeria	1 291	50 914	1 161	46	1 711	39	Community transmission
Mozambique	1 220	7 757	248	13	54	2	Community transmission
Nigeria	1 053	58 198	282	11	1 106	5	Community transmission
Kenya	1 042	37 871	704	43	689	13	Community transmission
Angola	771	4 672	142	24	171	5	Community transmission
Namibia	626	10 918	4 297	9	120	47	Community transmission
Zambia	588	14 612	795	3	332	18	Community transmission
Cabo Verde	515	5 701	10 254	6	56	101	Community transmission
Côte d'Ivoire	356	19 556	741	0	120	5	Community transmission
Botswana	354	2 921	1 242	0	13	6	Community transmission
Ghana	345	46 222	1 488	2	299	10	Community transmission
Cameroon	304	20 735	781	2	418	16	Community transmission
Guinea	262	10 548	803	3	66	5	Community transmission
Madagascar	237	16 257	587	10	229	8	Community transmission
Senegal	181	14 869	888	4	306	18	Community transmission
Eswatini	174	5 419	4 671	4	108	93	Community transmission
Lesotho	168	1 558	727	2	35	16	Clusters of cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Rwanda	140	4 811	371	4	29	2	Clusters of cases
Burkina Faso	132	1 929	92	0	56	3	Community transmission
Zimbabwe	131	7 803	525	2	227	15	Community transmission
Democratic Republic of The Congo	105	10 592	118	3	271	3	Community transmission
Mauritania	97	7 462	1 605	0	161	35	Community transmission
Togo	96	1 736	210	5	46	6	Community transmission
Mali	74	3 080	152	2	130	6	Community transmission
Gambia	60	3 564	1 475	2	110	46	Community transmission
Sierra Leone	49	2 208	277	0	72	9	Community transmission
Malawi	48	5 766	301	0	179	9	Community transmission
Benin	45	2 325	192	0	40	3	Community transmission
South Sudan	44	2 686	240	0	49	4	Community transmission
Gabon	32	8 728	3 921	1	54	24	Community transmission
Chad	28	1 177	72	2	83	5	Community transmission
Equatorial Guinea	26	5 028	3 584	0	83	59	Community transmission
Congo	22	5 008	908	0	89	16	Community transmission
Guinea-Bissau	21	2 324	1 181	0	39	20	Community transmission
Central African Republic	13	4 806	995	0	62	13	Community transmission
Niger	12	1 194	49	0	69	3	Clusters of cases
Burundi	11	484	41	0	1	<1	Clusters of cases
Eritrea	11	375	106	0	0	<1	Sporadic cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Comoros	4	474	545	0	7	8	Community transmission
Liberia	3	1 338	265	0	82	16	Community transmission
Sao Tome and Principe	3	911	4 157	0	15	68	Clusters of cases
Seychelles	2	141	1 434	0	0	<1	Sporadic cases
Mauritius	0	367	289	0	10	8	Sporadic cases
United Republic of Tanzania	0	509	9	0	21	<1	Community transmission
Territoriesⁱⁱ							
Réunion	491	3 685	4 116	1	11	12	Clusters of cases
Mayotte	0	3 541	12 979	0	40	147	Clusters of cases
Americas	766526	16233110	2409	19027	546864	81	
United States of America	298 149	6 960 152	21 027	5 036	202 478	612	Community transmission
Brazil	194 430	4 689 613	22 063	4 744	140 537	661	Community transmission
Argentina	77 577	691 235	15 294	2 503	15 208	336	Community transmission
Colombia	47 846	798 317	15 689	1 253	25 103	493	Community transmission
Peru	38 172	794 584	24 099	754	32 037	972	Community transmission
Mexico	31 904	720 858	5 591	3 041	75 844	588	Community transmission
Chile	11 305	455 979	23 853	337	12 591	659	Community transmission
Canada	8 545	150 456	3 986	50	9 255	245	Community transmission
Costa Rica	8 442	70 816	13 902	126	812	159	Community transmission
Ecuador	8 361	133 981	7 594	184	11 273	639	Community transmission
Venezuela (Bolivarian Republic of)	6 099	71 273	2 506	61	591	21	Community transmission
Paraguay	5 099	37 226	5 219	150	761	107	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Panama	4 552	109 431	25 362	82	2 311	536	Community transmission
Guatemala	4 550	89 702	5 007	108	3 213	179	Community transmission
Dominican Republic	3 257	110 957	10 228	49	2 093	193	Community transmission
Honduras	3 229	73 840	7 455	125	2 271	229	Community transmission
Bolivia (Plurinational State of)	3 171	133 222	11 413	250	7 800	668	Community transmission
Jamaica	1 096	5 854	1 977	28	88	30	Community transmission
El Salvador	987	28 415	4 381	18	826	127	Community transmission
Bahamas	613	3 790	9 638	20	89	226	Clusters of cases
Guyana	607	2 709	3 444	11	73	93	Clusters of cases
Trinidad and Tobago	546	4 285	3 062	10	70	50	Community transmission
Cuba	357	5 412	478	7	120	11	Clusters of cases
Belize	218	1 808	4 547	3	23	58	Community transmission
Suriname	126	4 817	8 211	6	102	174	Community transmission
Nicaragua	86	4 065	614	2	149	22	Community transmission
Haiti	84	8 684	762	6	227	20	Community transmission
Uruguay	77	1 967	566	1	47	14	Clusters of cases
Barbados	5	190	661	0	7	24	Clusters of cases
Antigua and Barbuda	3	98	1 001	0	3	31	Sporadic cases
Saint Kitts and Nevis	2	19	357	0	0	<1	No cases
Dominica	0	24	333	0	0	<1	Clusters of cases
Grenada	0	24	213	0	0	<1	No cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Saint Lucia	0	27	147	0	0	<1	Sporadic cases
Saint Vincent and the Grenadines	0	64	577	0	0	<1	Sporadic cases
Territoriesⁱⁱ							
Puerto Rico	4 420	45 413	15 874	37	642	224	Community transmission
Guadeloupe	1 528	4 954	12 381	16	42	105	Community transmission
Aruba	374	3 756	35 180	2	25	234	Community transmission
Martinique	176	1 298	3 459	2	20	53	Community transmission
French Guiana	171	9 863	33 022	0	65	218	Community transmission
Curaçao	105	315	1 920	0	1	6	Community transmission
United States Virgin Islands	54	1 296	12 411	0	19	182	Community transmission
Saint Martin	53	383	9 907	2	8	207	Community transmission
Sint Maarten	53	618	14 412	3	22	513	Community transmission
Bonaire, Sint Eustatius and Saba	49	85	3 242	0	1	38	Sporadic cases
Saint Barthélemy	25	48	4 856	0	0	<1	Sporadic cases
Turks and Caicos Islands	13	680	17 563	0	5	129	Clusters of cases
Saint Pierre and Miquelon	5	16	2 761	0	0	<1	Sporadic cases
Bermuda	3	181	2 907	0	9	145	Sporadic cases
Cayman Islands	2	210	3 195	0	1	15	Sporadic cases
Anguilla	0	3	200	0	0	<1	No cases
British Virgin Islands	0	71	2 348	0	1	33	Clusters of cases
Falkland Islands (Malvinas)	0	13	3 732	0	0	<1	No cases
Montserrat	0	13	2 601	0	1	200	No cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Eastern Mediterranean	124482	2340215	333	2704	60345	9	
Iraq	30 372	345 969	8 601	444	8 935	222	Community transmission
Iran (Islamic Republic of)	24 043	443 086	5 275	1 276	25 394	302	Community transmission
Morocco	15 425	115 241	3 122	246	2 041	55	Clusters of cases
Lebanon	6 931	35 228	5 161	54	340	50	Community transmission
United Arab Emirates	6 376	90 618	9 162	7	411	42	Community transmission
Tunisia	5 442	15 178	1 284	52	207	18	Clusters of cases
Pakistan	4 604	310 275	1 405	41	6 457	29	Clusters of cases
Libya	4 594	31 828	4 632	73	499	73	Community transmission
Bahrain	4 276	68 775	40 418	18	239	140	Clusters of cases
Oman	4 154	95 907	18 781	67	885	173	Community transmission
Kuwait	4 150	103 199	24 165	16	597	140	Community transmission
Jordan	3 521	8 061	790	13	43	4	Community transmission
Saudi Arabia	3 519	332 790	9 559	197	4 655	134	Sporadic cases
Qatar	1 704	124 850	43 335	5	214	74	Community transmission
Egypt	836	102 736	1 004	119	5 869	57	Clusters of cases
Syrian Arab Republic	273	4 038	231	18	188	11	Community transmission
Somalia	187	3 588	226	1	99	6	Sporadic cases
Afghanistan	183	39 227	1 008	12	1 453	37	Clusters of cases
Sudan	71	13 606	310	0	836	19	Community transmission
Djibouti	8	5 409	5 475	0	61	62	Sporadic cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Yemen	4	2 034	68	2	588	20	Community transmission
Territoriesⁱⁱ							
Occupied Palestinian territory	3 809	48 572	9 521	43	334	65	Community transmission
Europe	418719	5662875	829	4547	234681	34	
France	82 803	503 658	7 716	405	31 514	483	Community transmission
Russian Federation	48 039	1 151 438	7 890	906	20 324	139	Clusters of cases
Spain	45 123	716 481	15 324	539	31 232	668	Clusters of cases
The United Kingdom	38 919	429 281	6 324	212	41 971	618	Community transmission
Israel	25 816	214 071	24 732	98	1 395	161	Community transmission
Ukraine	22 956	198 634	4 542	402	3 959	91	Community transmission
Netherlands	16 680	108 521	6 333	91	6 357	371	Community transmission
Czechia	14 988	63 294	5 910	92	591	55	Community transmission
Germany	12 725	284 140	3 391	71	9 457	113	Clusters of cases
Turkey	11 618	312 966	3 711	484	7 929	94	Community transmission
Italy	11 535	308 104	5 096	126	35 818	592	Clusters of cases
Romania	9 685	121 235	6 302	285	4 687	244	Community transmission
Belgium	7 827	112 709	9 725	23	9 974	861	Community transmission
Poland	7 650	85 980	2 272	142	2 424	64	Community transmission
Hungary	6 024	24 014	2 486	53	736	76	Community transmission
Austria	4 992	42 940	4 768	22	787	87	Community transmission
Portugal	4 914	72 939	7 153	45	1 944	191	Clusters of cases
Denmark	4 366	26 213	4 526	13	648	112	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Republic of Moldova	4 198	50 534	12 527	78	1 279	317	Community transmission
Uzbekistan	3 718	54 953	1 642	25	454	14	Clusters of cases
Switzerland	2 576	51 747	5 979	13	1 777	205	Community transmission
Sweden	2 526	90 923	9 003	8	5 880	582	Community transmission
Greece	2 250	17 228	1 653	45	376	36	Clusters of cases
Slovakia	2 054	8 600	1 575	5	44	8	Clusters of cases
Ireland	2 022	34 560	6 999	10	1 802	365	Community transmission
Armenia	1 969	49 400	16 671	21	951	321	Community transmission
Bosnia and Herzegovina	1 903	26 795	8 167	62	808	246	Community transmission
Belarus	1 828	77 289	8 179	37	813	86	Community transmission
Kazakhstan	1 827	140 175	7 465	44	2 043	109	Clusters of cases
Georgia	1 752	5 254	1 317	9	28	7	Community transmission
Montenegro	1 445	10 284	16 374	22	158	252	Clusters of cases
Croatia	1 282	16 007	3 899	25	269	66	Community transmission
Bulgaria	1 178	19 997	2 878	34	789	114	Clusters of cases
Albania	927	13 153	4 571	17	375	130	Clusters of cases
Slovenia	882	5 191	2 497	3	136	65	Clusters of cases
Azerbaijan	853	39 895	3 935	11	585	58	Clusters of cases
Kyrgyzstan	835	46 251	7 089	0	1 063	163	Clusters of cases
North Macedonia	786	17 343	8 324	32	721	346	Clusters of cases
Norway	761	13 406	2 473	3	270	50	Clusters of cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Finland	655	9 577	1 728	4	343	62	Community transmission
Lithuania	631	4 295	1 578	2	89	33	Community transmission
Luxembourg	593	8 311	13 277	0	124	198	Community transmission
Serbia	472	33 312	4 784	6	746	107	Community transmission
Tajikistan	302	9 605	1 007	2	75	8	Pending
Iceland	294	2 601	7 622	0	10	29	Community transmission
Estonia	290	3 165	2 386	0	64	48	Clusters of cases
Andorra	272	1 836	23 762	0	53	686	Community transmission
Malta	230	2 929	6 634	12	29	66	Clusters of cases
Latvia	139	1 654	877	0	36	19	Clusters of cases
Cyprus	104	1 684	1 395	0	22	18	Clusters of cases
Monaco	14	210	5 351	0	1	25	Sporadic cases
Liechtenstein	5	117	3 068	0	1	26	Sporadic cases
San Marino	4	746	21 981	0	42	1 238	Community transmission
Holy See	0	12	14 833	0	0	<1	Sporadic cases
Territories[†]							
Kosovo[1]	423	15 382	8 268	8	609	327	#REF!
Faroe Islands	29	460	9 414	0	0	<1	Sporadic cases
Gibraltar	18	364	10 804	0	0	<1	Clusters of cases
Jersey	9	402	3 695	0	32	294	Community transmission
Guernsey	2	256	4 051	0	13	206	Community transmission
Isle of Man	1	340	3 998	0	24	282	No cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Greenland	0	14	247	0	0	<1	No cases
South-East Asia	647309	6720771	1166	9011	110711	19	
India	591 913	5 992 532	4 342	7 751	94 503	68	Clusters of cases
Indonesia	30 652	271 339	992	860	10 308	38	Community transmission
Bangladesh	10 501	357 873	2 173	216	5 129	31	Community transmission
Nepal	9 024	71 821	2 465	66	467	16	Clusters of cases
Myanmar	4 728	9 991	184	117	198	4	Clusters of cases
Maldives	396	10 045	18 583	1	34	63	Clusters of cases
Sri Lanka	66	3 349	156	0	13	1	Clusters of cases
Thailand	17	3 523	50	0	59	1	Clusters of cases
Bhutan	12	271	351	0	0	<1	Sporadic cases
Timor-Leste	0	27	20	0	0	<1	Sporadic cases
Western Pacific	22986	600891	104	462	13129	2	
Philippines	17 796	301 256	2 749	354	5 284	48	Community transmission
Japan	3 033	81 690	646	45	1 545	12	Clusters of cases
Republic of Korea	636	23 611	461	18	401	8	Clusters of cases
Malaysia	602	10 769	333	3	133	4	Clusters of cases
Australia	131	27 016	1 059	26	870	34	Clusters of cases
Singapore	127	57 685	9 860	0	27	5	Clusters of cases
China	126	90 966	62	2	4 746	3	Clusters of cases
Papua New Guinea	16	532	59	1	7	1	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
New Zealand	13	1 477	306	0	25	5	Clusters of cases
Mongolia	2	313	95	0	0	<1	Sporadic cases
Brunei Darussalam	1	146	334	0	3	7	No cases
Cambodia	1	276	17	0	0	<1	Sporadic cases
Viet Nam	1	1 069	11	0	35	<1	Clusters of cases
Fiji	0	32	36	0	2	2	Sporadic cases
Lao People'S Democratic Republic	0	23	3	0	0	<1	Sporadic cases
Territoriesⁱⁱ							
French Polynesia	261	1 579	5 621	4	6	21	Sporadic cases
Guam	237	2 354	13 948	9	43	255	Clusters of cases
Northern Mariana Islands (Commonwealth of The)	2	70	1 216	0	2	35	Pending
New Caledonia	1	27	95	0	0	<1	Sporadic cases
Subtotal for all regions	2 006 967	32 730 204	4 217	36 475	991 211	128	
Other [†]	0	741		0	13		
Grand total	2 006 967	32 730 945		36 475	991 224		

***See data, table and figure notes*

Technical guidance and other resources

- [Technical guidance](#)
- [WHO Coronavirus Disease \(COVID-19\) Dashboard](#)
- [Weekly COVID-19 Operational Updates](#)
- [WHO COVID-19 case definitions](#)
- [COVID-19 Supply Chain Inter-Agency Coordination Cell Weekly Situational Update](#)
- Updates from WHO regions
 - [African Region](#)
 - [Region of the Americas](#)
 - [Eastern Mediterranean Region](#)
 - [South-East Asia Region](#)
 - [European Region](#)
 - [Western Pacific Region](#)
- [Research and Development](#)
- [Online courses on COVID-19](#) in official UN languages and in [additional national languages](#)
- [The Strategic Preparedness and Response Plan](#) (SPRP) outlining the support the international community can provide to all countries to prepare and respond to the virus

Recommendations and advice for the public

- [Protect yourself](#)
- [Questions and answers](#)
- [Travel advice](#)
- [EPI-WIN](#): tailored information for individuals, organizations and communities

Data, table and figure notes

Data presented are based on official laboratory-confirmed COVID-19 case and deaths reported to WHO by country/territories/areas, largely based upon WHO [case definitions](#) and [surveillance guidance](#). While steps are taken to ensure accuracy and reliability, all data are subject to continuous verification and change, and caution must be taken when interpreting these data as several factors influence the counts presented, with variable underestimation of true case and death incidence, and variable delays to reflecting these data at global level. Case detection, inclusion criteria, testing strategies, reporting practices, and data cut-off and lag times differ between countries/territories/areas. A small number of countries/territories/areas report combined probable and laboratory-confirmed cases; efforts are underway to identify these for notation in the data table. Differences are to be expected between information products published by WHO, national public health authorities, and other sources.

The designations employed, and the presentation of these materials do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines

on maps represent approximate border lines for which there may not yet be full agreement. Countries, territories and areas are arranged under the administering WHO region.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

^[1] All references to Kosovo should be understood to be in the context of the United Nations Security Council resolution 1244 (1999). In the map, number of cases of Serbia and Kosovo (UNSCR 1244, 1999) have been aggregated for visualization purposes.

ⁱ Transmission classification is based on a process of country/territory/area self-reporting. Classifications are reviewed on a weekly basis and may be revised as new information becomes available. Differing degrees of transmission may be present within countries/territories/areas; classification is based on the highest category reported within a country/territory/area. Categories:

- No cases: with no confirmed cases;
- Sporadic cases: with one or more cases, imported or locally detected;
- Clusters of cases: experiencing cases, clustered in time, geographic location and/or by common exposures;
- Community transmission: experiencing larger outbreaks of local transmission defined through an assessment of factors including, but not limited to: large numbers of cases not linkable to transmission chains; large numbers of cases from sentinel laboratory surveillance; and/or multiple unrelated clusters in several areas of the country/territory/area;
- Pending: transmission classification has not been reported to WHO.

ⁱⁱ "Territories" include territories, areas, overseas dependencies and other jurisdictions of similar status.

[†] Other: includes cases reported from international conveyances.

Country, territory, or area-specific notes, updates and errata

Due to public health authorities conducting data reconciliation exercises which remove large numbers of cases or deaths from their total counts, negative numbers may be displayed in the new cases/deaths columns as appropriate. When additional details become available that allow the subtractions to be suitably apportioned to previous days, graphics will be updated accordingly. See the [log of major changes and errata](#) for details. Prior situation reports will not be edited; see covid19.who.int for the most up-to-date data.

Erratum, 29 September 2020: Incorrect epidemic curve x-axis labels appeared in the Weekly Epidemiological Update published 28 September. These have been corrected here.